



Report No.: ECL01G013833 Page 1 of 4

Applicant: Montessori World LLC

Address: 20021 80th Ave S Suite C-6, Kent, WA, 98032

Report on the submitted sample(s) said to be:

Sample Name : Small Bead Frame

Item No. : MA036

Quantity of Sample : 1 PC

Exported to : Europe, USA
Client Specified Age Grading : 3-6 YEARS
Labeled Age Grading : NOT STATED

Age Group Applied in Testing : 3+ YEARS

Sample Received Date : Aug.27, 2014

Further Information Date : Sep. 5, 2014, Sep.16, 2014 Sample Tested Date : Aug.27, 2014 to Sep.16, 2014

Test Conducted:

As requested by the applicant, for details refer to next page(s)

Tested by

Reviewed by

fester fluore

Vito V wang

Victor Wang

Lab Manager

international Co., Ltd.Shanghai Branch

Date

Sep.16, 2014

No. T166586124

No.1996, New Jinqiao Road, Pudong District, Shanghai, China









Report No.: ECL01G013833 Page 2 of 4

Executive Summary:

TEST REQUEST CONCLUSION

European Standard on Safety of Toys:

- EN 71-1:2011+A3:2014 Mechanical and Physical Properties PASS

- EN 71-2:2011+A1:2014 Flammability of Toys **PASS**

- EN 71-3:2013 Migration of certain elements PASS

- Labeling requirement (CE mark, Manufacture/Importer mark and product identification)—Directive 2009/48/EC Safety of toys

PAGES

******* For Further Details, Please Refer To the Following Page(s) **********



















































Report No.: ECL01G013833 Page 3 of 4

EUROPEAN STANDARD ON SAFETY OF TOYS

▼ Mechanical and physical properties

As specified in European Standard on Safety of Toys EN 71 part 1:2011+A3:2014.

Clause	<u>Description</u>	Assessment
4	General requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
7	Warnings and instructions for use	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass

▼ Flammability of Toys

As specified in European Standard on Safety of Toys EN 71 part 2:2011+A1:2014.

Clause	<u>Description</u>	Assessment
4	Requirements	
4.1	General	Pass
	(The following materials shall not be used in the manufacture of toys except	
	as provided in EN 71-2:2011+A1:2014:	
	Celluloid, materials with the same behaviour in fire as celluloid, materials	
	with a piled surface which produce surface flash, flammable gases, extremely	
	flammable liquids, highly flammable liquids, flammable liquids and	
	flammable gels.)	








Report No.: ECL01G013833





Labeling requirement (CE mark, importer / manufacturer name and address, product identification) according to the Directive 2009/48/EC – Safety of toys

Summary table:

	Observation Result	Location		
CE mark	Found	Packaging		
Importer's Name & Address	Found	Packaging		
Manufacturer's Name & Address	Found	Packaging		
Product ID	Found	Packaging		

Note:

- ①: Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principle set out in Article 30 of Regulation (EC) NO 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- ②: The manufacturer's name registered trade name or registered trade mark and the address at which the manufacture can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- ③: Manufacturer must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.















Report No.: ECL01G013833 Page 5 of 5

▼ Migration of certain elements

As specified in European standard on safety of toys EN 71-3:2013 – Migration of certain elements, acid extraction method was used and toxic elements content were determined by ICP-OES, ICP-MS, IC-ICP-MS and GC-MS.

Category Ⅲ: scraped-off toy material

<u>Tested Item</u>	Result (mg/kg)						MDL	<u>Limit</u>	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(mg/kg)	(mg/kg)
Aluminium (Al)	ND	ND	ND	ND	ND	ND	ND	50	70000
Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	5	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	5	47
Barium (Ba)	ND	ND	91	ND	ND	ND	ND	50	18750
Boron (B)	ND	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	1	17
Chromium (Cr) #1	ND	ND	0.331	ND	0.640	ND	ND	0.2	
Chromium (III)#2	ND	ND	0.331	ND	0.640	ND	ND		460
Chromium (VI)	ND	ND	ND	ND	ND	ND	ND	0.001	0.2
Cobalt (Co)	ND	ND	ND	ND	ND	ND	ND	5	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	ND	50	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	5	160
Manganese (Mn)	125	ND	ND	ND	ND	ND	ND	50	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	5	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	ND	5	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	5	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	ND	50	56000
Tin (Sn) #3	ND	ND	ND	ND	ND	ND	ND	2	180000
Organic tin (TBT) #4	ND	ND	ND	ND	ND	ND	ND	0.05	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	ND	50	46000



















Report No.: ECL01G013833 Page 6 of 6

Tested Component(s):

- (1) Beige wood
- (2) Green plastic(beads)
- (3) Sky blue plastic(beads)
- (4) Red plastic(beads)
- (5) Transparent lacquer(frame) (sample weight:95mg)
- (6) White coating(frame) (sample weight:73mg)
- (7) Grey coating(frame) (sample weight:60mg)

Remark:

- mg/kg = milligram per kilogram = ppm
- ND = Not Detected (less than MDL)
- MDL = Method Detection Limit
- Filter paper was used instead of membrane filter in lab testing.
- Where the test portion has a mass of between 10mg and 100mg, the quantity of the appropriate elements shall be calculated as if 100mg of the test portion had been used.
- As received, the test portion of Red coating(frame) is less than 10mg, therefore such component was not tested for migration of certain elements, as specified in the European standard on safety of toys EN71-3:2013, clause 7 selection of test portions.
- ^{#1} Chromium (Cr) content can be used for screen test for hexavalent chromium and trivalent chromium analysis and to show compliance with the requirement of EN 71-3:2013.
- ^{#2} Chromium (Cr) = Hexavalent chromium (Cr (VI)) +Trivalent chromium (Cr (III)), where the chromium content exceeded the limits of hexavalent chromium amd/or trivalent chromium, then hexavalent chromium was analyzed by HPLC-ICP-MS and trivalent chromium content was calculated using the formula.
- ^{#3} Tin (Sn) content can be used for screen test for organic tins analysis to show compliance with the r equirement of EN 71-3:2013.





















Report No.: ECL01G013833 Page 7 of 7

- ^{#4} The migration of organic tin is expressed as tributyltin (TBT). where the tin content exceeded the limit of organic tin, ten organic tins listed in table were determined by GC-MS and the client should be noted there are other organic tins may be present in toy materials.

Organic tins tested under EN 71-3:2013
Methyl tin (MeT)
Butyl tin (BuT)
Dibutyl tin (DBT)
Tributyl tin (TBT)
Tetrabutyl tin (TeBT)
n-Octyl tin (MOT)
Di-n-octyl tin (DOT)
Di-n-propyl tin (DProT)
Diphenyl tin (DPhT)
Triphenyl tin (TPhT)

- All results shown are copied from CTI test report ECL01G012535.

Note:

- Only applicable clauses were shown
















































Report No.: ECL01G013833 Page 8 of 8

Photo of the sample





*** End of Report ***

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.











